February-14-13 3:13:04 PM Item ID: D3245-042 Accept *N900040100* Setup Start Revision ID: Item Name: Access Panel Assembly **Start Date:** 2/13/13 Start Qty: 2.00 Cust Item ID: Required Date: 2/26/13 **Req'd Qty:** 2.00 **Customer:** Reference: Run Process Plan: MCJ Date: 13-02-28 Tooling: Approvals: Date: Stop QC: Date: SPC (Y/N): Date: Sequence ID/ **Operation** Set Up/ Tool ID Tool # Plan Accept Reject Reject Insp. Work Center ID Description **Run Hours** Code Qty Qty Number Stamp Draw Nbr **Revision Nbr** D3245 D 100 Pick Kit 0.00 *100* Packaging 0.00 Memo Packaging 110 0.00 Small Fab *110* Small Fab 0.00 Memo Small Fab Install Nut Plates and D3245-5 angle as per Dwg D3245, follow instructions of note 8 on dwg when riveting angle, be careful when countersinking...mat'l very thin 120 QC5- Inspect part completeness to step on W/O 0.00 *120* QC -0.00 Memo Quality Control

										DQA:	Date:	
NCR:	es / No				WORK ORDER NON-O	O	NFORN	/IANCE / UPD/				
					····					QA Closed:	Date:	
Work Orde	···				DISPOSITION				AGAINST DE	PARTMENT	PROCESS	
WOIR OIG	=1. 				Rework	1		Skid-tube	Crosstube		Water Jet	Engineering
Part N	lo			<u></u>	Scrap			Machining	Small Fab		d. Eng. Coor.	Quality
					Use-as-is			noforming	Finishing	Rec/Stor	e/Packaging	Other
NCR N	lo				Work Order Update]		Large Fab	Composite		Supplier	
Root					ption of work order update	1	nitial	Actio		Sign &		
Cause	Date	Step	Qty		or Non-conformance	Ch	ief Eng	Descrip	tion	Date	Verification	QC Inspector
Doc/Data					•							
Equip/Tooling												
Operator												
Material												
Setup												
Other						ŀ	ļ			}		
Process	_							İ				
Supplier								I				
Training								1				,
Unapproved		1	<u></u>				T CATE	CORV		<u> </u>	i	
1 11	6				General General	AUL	T CATE	JORT				
Landi	ng Gear Bending				Bend		Grain			Ovalized		Pressure/Forced
				BOM/Route	\vdash	Hardwa	rρ	 	Over/Under	tolerance	Temperature/Cure	
	Centre Not Concentric to O/S Cracks				Broken/Damaged	\vdash	4	on Incomplete	<u> </u> -	Part Incorre	⊢	Weld
	—	/Crimped		-	Burrs	-	4 '	ions Incomplete/Un	oclear	Part Lost/M	 	Wrong Stock Pulled
	Cuffs	cimped,	•	-	Contamination		Mainte	•	 	Part Moved	· _	-
	Heat Tre	at		 	Countersink	-	Mislabe			Positioned \	Vrong	
	⊢	on Strip in	Tube	-	Cut Too Short	\vdash	Misread			Power Loss/	_	Other
	Rinnles in	•	,		Drill Holes		Offset		_	_	- L	1

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

February-14-13 3:13:04 PM Item ID: D3245-042 Accept *N900040100* Setup Start **Revision ID:** Item Name: Access Panel Assembly Start Oty: 2.00 Start Date: 2/13/13 Cust Item ID: Required Date: 2/26/13 Reg'd Oty: 2.00 **Customer:** Reference: Run Process Plan: Date: Tooling: Approvals: Date: Stop QC: _____ Date: SPC (Y/N): Date: Sequence ID/ **Operation** Set Up/ Tool ID Tool # Plan Reject Accept Reject Insp. Work Center ID Description Qty **Run Hours** Code Oty Number Stamp 1301 Identify as per dwg & Stock Location: 57 232A 0.00 *130* Packaging 0.00 Memo Packaging 13/3/28 1 MV 13-3-27 140 QC21- Final Inspection - Work Order Release 0.00 *140* QC . 0.00 Memo Quality Control

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-C	O	NFORM	MANCE / UPD				
											QA Closed:	Date:	
Work Ord	lor:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
WOIK OIG	ei.					Rework]		Skid-tube	Crosstube		Water Jet	Engineering
Part	No.					Scrap		1	Machining	Small Fab	Pro	d. Eng. Coor.	Quality
		·····	-			Use-as-is		Thern	noforming	Finishing	Rec/Stor	re/Packaging	Other
NCR	No.					Work Order Update			Large Fab	Composite		Supplier	
				,			لسر						т
Root					•	ption of work order update		nitial	Actio		Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Descri	ption	Date	Verification	QC Inspector
Doc/Data	<u></u>							ļ				:	
Equip/Tooling	<u> </u>			:									
Operator													Ì
Material]										
Setup	<u> </u>												
Other													
Process	_						l						
Supplier	<u> </u>												
Training	—												
Unapproved	1	<u> </u>	l	<u> </u>			<u> </u>	T CATE	EOBA				<u> </u>
Landi	ina (Soor		·		General	HUL	. I CATE	GONT				
Land	ling (Bending				Bend		Grain		_	Ovalized		Pressure/Forced
		Centre No	nt Conce	atric to		BOM/Route	-	Hardwa	re	—	Over/Under	tolerance	Temperature/Cure
	\vdash	Cracks	J. COIRCEI	ia ie to	``` <u> </u>	Broken/Damaged		₹	ion Incomplete		Part Incorre	⊢	Weld
Cracks Crushed/Crimped			Burrs		Instructions Incomplete/Unclear			Part Lost/M		Wrong Stock Pulled			
					Contamination	\vdash	Mainte	· · ·		Part Moved	·		
	\vdash	Heat Trea	ıt		<u> </u>	Countersink		Mislabe			Positioned V	Vrong	
ĺ	├ ─-				Cut Too Short	Misread				Power Loss		Other	

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

February-14-13 10:53:48 AM

Work Order ID:

97217

Parent Item:

D3245-042

Parent Item Name:

Access Panel Assembly

Date	Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
Display Disp	D3245-2		Manufactured	No			110			1	2		2/	2/
Location Loc Oty Loc Code GA 7 2350-18-C3Y Purchased No 110 Each 111.0000 8 16 16 16 16 17 17 17 17							1394			\$100 mayor and		12	3/0) 10
Location Loc Ore Loc Code GA 7 2350-18-C3Y Purchased No 110 Each 111.0000 8 16 16 16 16 17 10 10 10 10 10 10 10	D3245-5		Manufactured	No			110	Each	7.0000	1	2	1 D 1		/ /
GA 7 83468 7 2350-18-C3Y Purchased No 110 Each 111.0000 8 16 33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Door ¹									•		≤ 13	13/6	15-/2
S350_18-C3V					Location		Loc Qty	Le	oc Code				/	/
S350_18-C3V					GA		7				^			
Location Loc Oty Loc Code ST396 111						68	7				Z	0		/ /
Location Loc Oty Loc Code ST396 111	2350-18-C3Y		Purchased	No			110	Each	111.0000	8	16		/	
ST396 1111	RIGID RECEPTACLE		T un										3/0	3_/2-Q
ST396 1111	1				Location		Loc Otv	L	oc Code					1
105729 2 124256 89 1688 20 16 10688 20 16 10688 20 16 10688 20 16 10688 20 16 10688 20 16 10688 20 16 10688 20 16 10688 20 16 16 16 16 16 16 16 16 16 16 16 16 16													•	
124256 89 19688 20 Purchased No 110 Each 3,091.0000 16 32 Location Loc Oty Loc Code ST335 3091 123452 19 124231 3072 124231 3072 Rivet Location Each 1,181.0000 9 18 Location Each 1,181.0000 9 18 Location ST312 1181 116188 2	1					729								
19688 20											6			
Location Loc Oty Loc Code	1	•			196	88							1	
Location Loc Oty Loc Code ST335 3091	MS20427M3-3		Purchased	No			110	Each	3,091.0000	16	32	\mathcal{I}	1	/_
ST335 3091 123452 19 124231 3072 Purchased No 110 Each 1,181.0000 9 18 Location Loc Otv Loc Code	Rivet ·		1 41 511455 4									-p)/3_/	103_
ST335 3091 123452 19 124231 3072 AS20615M3-3 Purchased No 110 Each 1,181.0000 9 18 Location Loc Oty Loc Code ST312 1181 116188 2	•		-		Location		Loc Oty	L	oc Code					/
123452 19 124231 3072 MS20615M3-3 Purchased No 110 Each 1,181.0000 9 18 Location Loc Oty Loc Code ST312 1181 116188 2	1													
124231 3072 32						452				-				
Location Loc Oty Loc Code	1										32	0	/	/
Location Loc Oty Loc Code	MS20615M3-3		Purchased	No	•		110	Each	1,181.0000	9	18	$\mathcal{Y}\mathcal{X}$	_ /	. /
ST312 1181	Ι.				•						.,,	ر کے	13/0	3 /2
ST312 1181	4				Location		Loc Otv	L	oc Code					
116188 2	•											//		
						188					/			
	•						1179				8			

Page 1

Required Date: 2/26/13

Required Qty: 2.00


Start Date: 2/13/13

Start Qty: 2.00

NCR:	⁄es	/ No				WORK ORDER NON-	COL	NFORM	AANCE / UPI	DATE			
											QA Closed:	Date	
Work Orde	o ė.					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
WORK OTUR	٠	-				Rework	ı l		Skid-tube	Crosstube]	Water Jet	Engineering
Part N	No.					Scrap	1 1		Machining	Small Fab	Pro	d. Eng. Coor.	Quality
raiti	10.					Use-as-is	1		noforming	Finishing	1	re/Packaging	Other
NCR N	No.					Work Order Update	1		Large Fab	Composite		Supplier	1 🗆
	-								·		·		
Root					Descri	ption of work order update		nitial	Act	tion	Sign &		
Cause		Date	Step	Qty		or Non-conformance	Ch	ief Eng	Desci	ription	Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling									!				
Operator	Ш												
Material	Ш												
Setup	Ш										ļ		
Other	Ц									•			
Process			į				1						
Supplier	Ш			1									
Training	Ш												
Unapproved	Ш		<u> </u>	<u> </u>				TCATE	CORY				
							AUI	T CATE	GURY				
Landi	ng G	1			Г	General Bend		Grain			Ovalized	Г	Pressure/Forced
	Н	Bending	-+ C		0/5	BOM/Route	-	Hardwa	ır.o.	-	Over/Under	tolerance	Temperature/Cure
		Centre N Cracks	ot Conce	חנרוכ נס	^{0/3} -	Broken/Damaged	-	4	ion Incomplete	-	Part Incorre	<u> </u>	Weld
	\vdash	Cracks Crushed/	Crimpod		-	Burrs	\vdash	-	ions Incomplete/	Unclear	Part Lost/M	 	Wrong Stock Pulled
	\vdash	Cuffs	Cimpeu		-	Contamination	\vdash	Mainte	•	-	Part Moved		J
	\vdash	Heat Trea	at		·	Countersink		Mislabe			Positioned \	Vrong	
	\vdash	Inspectio		Tuhe	-	Cut Too Short		Misread		<u> </u>	Power Loss/	_	Other
	\vdash	Ripples in	•		—	Drill Holes		Offset		L	_	· <u> </u>	:
		Torque V		Extrusio	<u>,</u>	Drawing		4	Calibration				
		Turning S				Finish	\vdash	Out of !	Sequence				
		Wave/Tv				Folio		Outside	Dimensions				

Date: __

Wave/Twist in Tube





SHOP COLL

LETURN TO
ENGINE FREG

UNCOSTRO! LED COPY
SUBJECT TO A SEL-DIMENT
WITHOUT MEDICE
WORK OPENER

MON 1977-13-02-20





D3245-043 DOOR ASSY

QTY -043	P/N	DESCRIPTION	
Х	D3245-043	ACCESS PANEL ASSY	
1	D3245-3	DOOR	-
1	D3245-7	GASKET	
8	127H-35	GROMMET	
8	2351-20-012-C3Y	STUD	


: D


NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) INSTALL D3245-7 GASKET USING 3M SCOTCH-GRIP 1300/1300L ADHESIVE IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS
7) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
8) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-043" AND B/N "BXXXXX" PER QSI 044 METHOD 6.1
9) WEIGHT: 0.74 lbs


DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DESIGN DRAWN DRAWING NO. REV. D CHECKED D3245 SHEET 2 OF 7 MFG. APPR. TITLE SCALE APPROVED ACCESS PANEL ASSY NTS DE APPR. DATE


12.10.16


DELEASED 2012-11-06















D3245-7 GASKET



D3245-X GASKET

P/N	LENGTH	
D3245-9	8.35	
D3245-11	9.01	
D3245-13	9.50	

DELEASE 11 06 E/

DESIGN DRAWN	7	DART AEROSPACE			
	1	HAWKESBURY, ONTARIO, CA			
CHECKED	W47	D3245	REV. D		
MFG. APPR.			SHEET 7 OF 7		
APPROVED	M	TITLE	SCALE		
DE APPR.		ACCESS PANEL ASSY	NTS		
DATE 12.1	0.16	THIS DOCUMENT A PRIVATE AND CONFORMAL AND SUPPLIED ON THE DOCUMENT A PRIVATE AND CONFORMAL AND IS SUPPLIED ON THE DIFFECT CONFORM PART IT IS NOT TO BE USED FOR ANY PURPOSE ON COMPED ON COMPANIANCE TO ANY OTHER PERSON WITHOUT			

NOTES:

1) MATERIAL: THERMO-CHEM P/N G-89, 0.060 THICK
POSSIBLE SUPPLIER: A.R. THOMSON GROUP

2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: N/A
7) WEIGHT: D3245-7 = 0.04 lbs; D3245-9/-11/-13 = LESS THAN 0.01 lbs

С